Bibliography of the published writings of the staff and students July 1, 1932-June 30, 1933

ALLEN, Caroline Kathryn.

A monograph of the American species of the genus Halenia. (In Annals of the Missouri botanical garden, 1933, xx, 119-222.)

AMES, Oakes.

The Arnold arboretum; (report 1931-32). (In Journal of the Arnold arboretum, 1932, xiii, 447-448.)

The Cattleyeae. (In American orchid society bulletin, 1932, i, 37-39.)

An extension of range for Epidendrum rhynchophorum. (In Har-vard university, Botanical museum leaflets, 1932, no. 3, pp. 1-4.)

Insect visitors to Cypripedium parviflorum. (In American orchid society bulletin, 1932, i, 91.)

John Lindley (1799-1865). (In American orchid society bulletin, 1932, i, 34-36.)

New or noteworthy Philippine orchids. iii. (In Philippine journal of science, 1932, xlix, 483-504.)

A new variety of Laelia Digbyana. (In American orchid society bulletin, 1932, i, 59.)

An addition to the genus Epidendrum. (In Harvard university, Botanical museum leaflets, 1933, no. 7, pp. 1-4.)

An addition to the genus Hexadesmia. (In Harvard university, Botanical museum leaflets, 1933, no. 6, pp. 1-3.)

Additional notes on the orchids of the New Hebrides and Santa Cruz Islands. (In Journal of the Arnold arboretum, 1933, xiv, 101-112.)

The Honduran species of Lepanthes. (In Harvard university, Botanical museum leaflets, 1933, no. 4, pp. 3-8.)

A new Bletia from Spanish Honduras. (In Harvard university, Botanical museum leaflets, 1933, no. 6, pp. 5-7.)

A new Epidendrum from Honduras. (In Harvard university, Botan-ical museum leaflets, 1933, no. 8, pp. 1-3.)

A new Octomeria from Spanish Honduras. (In Harvard university, Botanical museum leaflets, 1933, no. 4, pp. 1-3.)

A new Oncidium from Honduras. (In Harvard university, Botanical museum leaflets, 1933, no. 5, pp. 1-5.)

The Reichenbachian herbarium. (In American orchid society bulletin, 1933, i, 98-99.)

ANDERSON, Edgar.

Botanizing from an airplane. By Edgar Anderson and Oliver Ames. (In Arnold arboretum bulletin of popular information, 1932, vi, 37-44.)

Growing oranges in Boston. (In Arnold arboretum bulletin of popular information, 1932, vi, 45-47.)

The propagation of woody plants. By Edgar Anderson and W. H. Judd. (In Arnold arboretum bulletin of popular information, 1932, vi, 53-56.)

Basswood bark and its use by the Indians. (In Arnold arboretum bulletin of popular information, 1933, i, 33-37.)

Color variation in a Missouri colony of Hepatica acutiloba. (In Rhodora, 1933, xxxv, 66-67.)

Distribution of Iris versicolor in relation to the post-glacial Great Lakes. (In Rhodora, 1933, xxxv, 154-160.)

Jabberwocky [a discussion of botanical names]. (In Arnold arbore-tum bulletin of popular information, 1933, i, 41-44.)

Leatherwood. (In Arnold arboretum bulletin of popular information, 1933, i, 25-27.)

Plants of current interest. (In Arnold arboretum bulletin of popular information, 1933, i, 28-32, 37, 51-52.)

The River Birch (Betula nigra). By Edgar Anderson and E. J. Palmer. (In Arnold arboretum bulletin of popular information, 1933, i, 6-8.)

Segmental interchange in chromosomes of Tradescantia. By Karl Sax and Edgar Anderson, (In Genetics, 1933, xviii, 53-67.)

Shrubs attractive in late winter and early spring. (In Arnold arboretum bulletin of popular information, 1933, i, 17-20.)

A simple device for exhibiting flowering shrubs. (In Arnold arboretum bulletin of popular information, 1933, i, 50-51.)

Trumpet-creepers. (In Arnold arboretum bulletin of popular information, 1933, i, 1-5).

Vicinism in Aquilegia vulgaris. (In American naturalist, 1933, lxvii, 190-192.)

Bailey, Irving Widmer.

1933]

The cambium and its derivative tissues. vii. Problems of identifying the wood of mesozoic Coniferae. (In *Annals of botany*, 1933, xlvii, 145–157.)

Investigation on cambium and its derivative tissues. (In Yearbook of the Carnegie institution of Washington, 1932, xxxi, 191-192.)

Preliminary notes on cribriform and vestured pits. (In Tropical woods, 1932, no. 31, pp. 46-48.)

CHESTER, Kenneth Starr.

Grafting. (In Arnold arboretum bulletin of popular information, 1932, vi, 48-52.)

The problem of acquired physiological immunity in plants. i. (In Quarterly revue of biology, 1933, viii, 129-154.)

Studies on the precipitin reaction in plants. iii. A biochemical analysis of the normal precipitin reaction. By K. S. Chester and T. W. Whitaker. (In *Journal of the Arnold arboretum*, 1933, xiv, 118–197.)

Studies on the precipitin reaction in plants. iv. The question of acquired reactions due to grafting. By T. W. Whitaker and K. S. Chester. (In American journal of botany, 1933, xx, 297–308.)

CURRIE, Mary E.

Parasitism of myxomycete plasmodia on fungous mycelia. By F. L. Howard and Mary E. Currie. (In Journal of the Arnold arboretum, 1932, xiii, 438-447.)

DERMEN, Haig.

Cytological studies of Cornus. (In Journal of the Arnold arboretum, 1932, xiii, 410-416.)

EHRLICH, John.

The beech bark disease in Nova Scotia. (In Province of Nova Scotia, Report of the Department of lands and forests, 1932, pp. 39-45.)

Nectria coccinea on beech. (In Phytopathology, 1933, xxiii, 10.)

FAULL, Joseph Horace.

Arnold arboretum Pathological laboratory; (report 1931-32). (In Journal of the Arnold arboretum, 1932, xiii, 448-450.)

Taxonomy and geographical distribution of the genus Milesia. (In Contributions from the Arnold arboretum of Harvard university, 1932, ii.)

HATCH, Alden Bruce.

Mycorrhizal and other features of the root systems of Pinus. By A. B. Hatch and K. D. Doak. (In *Journal of the Arnold arbore-tum*, 1933, xiv, 85-99.)

Pure-culture technique for quantitative studies of plant growth in association with microörganisms. (In *Phytopathology*, 1933, xxiii, 14.)

True mycorrhizal fungus in contrast to Mycelium radicis atrovirens. (In Phytopathology, 1933, xxiii, 14.)

HOWARD, Frank L.

Myxomycete plasmodia on fungous mycelia. By F. L. Howard and Mary E. Currie. (In Journal of the Arnold arboretum, 1932, xiii, 438-447.)

JOHNSTON, Ivan Murray.

Studies in the Boraginaceae. ix. (In Contributions from the Arnold arboretum of Harvard university, 1932, iii.)

Judd, William Henry.

The Great Tree of Tule. (In Gardeners' chronicle, 1932, xcii, 422.)
Hardy coniferous evergreens for New England. (In Gardeners' chronicle of America, 1932, xxxvi, 307-308, 314.)

The propagation of woody plants. By Edgar Anderson and W. H. Judd. (In Arnold arboretum bulletin of popular information, 1932, vi, 53-56.)

Raising the Dove Tree from seed. (In Horticulture, 1932, x, 386.)

Kelley, Katharine Eleanor.

Bibliography of the published writings of the staff and students July 1, 1931—June 30, 1932. (In Journal of the Arnold arboretum, 1932, xiii, 458-461.)

King, Edward.

Chromosome behaviour in a triploid Tradescantia. (In Journal of heredity, 1933, xxiv, 253-256.)

Kobuski, Clarence Emmeren.

Enumeration of the ligneous plants collected by J. F. Rock on the Arnold arboretum expedition to northwestern China and northeastern Tibet (additions and continuation). By Alfred Rehder and C. E. Kobuski. (In *Journal of the Arnold arboretum*, 1932, xiii, 385–409.)

An enumeration of the herbaceous plants collected by J. F. Rock for the Arnold arboretum. By Alfred Rehder and C. E. Kobuski. (In Journal of the Arnold arboretum, 1933, xiv, 1-52.)

McKelvey, Mrs. Susan Delano.

A white pine blister rust demonstration. (In Horticulture, 1932, x, 331.)

Taxonomic and cytological relationships of Yucca and Agave. By Susan D. McKelvey and Karl Sax. (In Journal of the Arnold arboretum, 1933, xiv, 76-81.)

O'MARA, Joseph.

Division of the generative nucleus in the pollen tube of Lilium. (In Botanical gazette, 1933, xciv, 567-579.)

PALMER, Ernest Jesse.

Crataegus arnoldiana, Arnold Thorn. (In Addisonia, 1932, xvii, 33-34.)

The Crataegus problem. (In Journal of the Arnold arboretum, 1932,

xiii, 342-362.)

The ferns and fern allies of Missouri. By E. J. Palmer and J. A. Steyermark. (In American fern journal, 1932, xxii, 105-122.) Leaves from a collector's note book. (In Journal of the Arnold

arboretum, 1932, xiii, 417-437.)

The River Birch (Betula nigra). By Edgar Anderson and E. J. Palmer. (In Arnold arboretum bulletin of popular information, 1933, i, 6–8.)

Some hardy southern trees and shrubs. (In Arnold arboretum bulle-

tin of popular information, 1933, i, 45-49.)

Trees used by the pioneers. (In Arnold arboretum bulletin of popular information, 1933, i, 38-39.)

RAUP, Hugh Miller.

Lichens. (In Arnold arboretum bulletin of popular information,

1933, i, [9-16].)

Range conditions in the Wood Buffalo Park of western Canada with notes on the history of the wood bison. (In American committee for international wild life protection. Special publication, 1933, i, no. 2.)

REHDER, Alfred.

Arnold arboretum Herbarium; (report 1931-32). (In Journal of

the Arnold arboretum, 1932, xiii, 451-453.)

Enumeration of the ligneous plants collected by J. F. Rock on the Arnold arboretum expedition to northwestern China and northeastern Tibet (additions and continuation). By Alfred Rehder and C. E. Kobuski. (In Journal of the Arnold arboretum, 1932, xiii, 385-409.)

New species, varieties and combinations from the herbarium and the collections of the Arnold arboretum. (In Journal of the Arnold

arboretum, 1932, xiii, 337-341.)

Notes on the ligneous plants described by H. Léveillé from eastern Asia. (In Journal of the Arnold arboretum, 1932, xiii, 299-332.) A second species of Gossypiospermum. (In Tropical woods, 1932, no. 32, pp. 6-7.)

Uniformity in plant names. (In Horticulture, 1932, x, 460.)

An enumeration of the herbaceous plants collected by J. F. Rock for the Arnold arboretum. By Alfred Rehder and C. E. Kobuski. (In Journal of the Arnold arboretum, 1933, xiv, 1-52.)

Supplement to C. T. White, Ligneous plants collected in the territory of Papua (British New Guinea) in 1925-26 by L. J. Brass. (In Journal of the Arnold arboretum, 1933, xiv, 62-67.)

Sax, Hally Jolivette.

Chromosome pairing in Larix species. (In Journal of the Arnold arboretum, 1932, xiii, 368-374.)

Chiasma formation in Larix and Tsuga. (In Genetics, 1933, xviii, 121-128.

SAX, Karl.

Arnold arboretum Cytological laboratory (report 1931-32). (In Journal of the Arnold arboretum, 1932, xiii, 450-451.)

- Chromosome relationships in Pomoideae. (In Journal of the Arnold arboretum, 1932, xiii, 363-367.)
- Meiosis and chiasma formation in Paeonia suffruticosa. (In Journal of the Arnold arboretum, 1932, xiii, 375-384.)
- Recent advances in cytology. By C. D. Darlington. (Review.) (In Collecting net, 1932, vii, 201-203.)
- Chromosome numbers in Ulmus and related genera. (In Journal of the Arnold arboretum, 1933, xiv, 82-84.)
- Segmental interchange in chromosomes of Tradescantia. By Karl Sax and Edgar Anderson. (In Genetics, 1933, xviii, 53-67.)
- Taxonomic and cytological relationships of Yucca and Agave. By Susan D. McKelvey and Karl Sax. (In Journal of the Arnold arboretum, 1933, xiv, 76-81.)
- Tucker, Ethelyn Maria.
 - Arnold arboretum, Library; (report 1931-32). (In Journal of the Arnold arboretum, 1932, xiii, 453-458.)
- WHITAKER, Thomas Wallace.
 - Fertile gourd-pumpkin hybrids. (In Journal of heredity, 1932, xxiii, 427-430.)
 - The chromosome complement of Cyphomandra betacea. (In Journal of the Arnold arboretum, 1933, xiv, 113-117.)
 - Cytological and phylogenetic studies in the Cucurbitaceae. (In Botanical gazette, 1933, xciv, 780-790.)
 - Studies on the precipitin reaction in plants. iii. A biochemical analysis of the normal precipitin reaction. By K. S. Chester and T. W. Whitaker. (In *Journal of the Arnold arboretum*, 1933, xiv, 118–197.)
 - Studies on the precipitin reaction in plants. iv. The question of acquired reactions due to grafting. By T. W. Whitaker and K. S. Chester. (In American journal of botany, 1933, xx, 297-308.)
 - The above articles cover a total of about 882 pages.

K. E. K.